Subject Index

A

ACh-sensitive K^+ channel 424
Acetazolamide 388
Acetylcholine 28, 51, 424
– receptors 44
Acinar cells 51
Acquorin 338
Acridine orange fluorescence 309
Action potential 262, 439
Actomyosin 40, 160
– ATPase 40
Adaptation 34, 409
Adenosine 88, 106
– binding protein 106
ADH 381
ADP 72
ADP-ribosylation 60
Adrenaline 51
Adrenergic receptor antagonists 205
Afferent C-fibres 66
Afterhyperpolarization 28
l-Alanine 178
Aldosterone 257
Amiloride 130, 257, 309
Amino acid transport 34
– – uptake 34
– groups 403
AMP 72
Anesthetized dog 318
Antidiuretic hormone 96, 306
Arginine vasotocin (AVT) blood concentration 151
Arrhenius plot 329
Arterial contraction 200
– blood pressure 80
– smooth muscle 88
ATP 14, 72
ATPase 40, 160
ATP binding site 72
ATP hydrolysis 160
Atrial cells 424
– trabecles 329
Atropine 424
Avian kidney 151
– volume sensitivity 151

B

Barium 235
– ion 332
Baroreceptor 80
Basolateral cell membrane 241
Behavioural tests 66
Beta-antagonists 28
Blood flow 318, 324
– pressure 80
– volume changes 151
Body thermosensitivity 228
– weight 183
Brattleboro rats 96
Breathing, control of 409
Brown adipose 171
Brush border membrane(s) 34, 356
– – – vesicles 60, 109, 178, 309

C

Ca channels 439
Ca current 8
Ca-induced Ca release mechanism 72
Ca on sphincter smooth muscle 332
Ca^{2+}-activated muscle 235
Ca^{2+} channels 349
Ca^{2+}-free Ringer 349
Ca^{2+} influx 200
Caffeine 14, 338
– contracture 269
Calcium 72, 269
– channels 349
–, field bursts 28
– indicator acquorin 338
– release 14
Calf-serum 205
Capsaicin 183
– treatment 66
Carbachol 274
Cardiac filling pressure 211
– muscle 208
– sodium channels 121
Cardioactive-factor 205
Carotic body 80
– occlusion 80
Cell calcium 338
– culture 215
Cellular electrolyte concentration 274
Central nervous system 28
Cerebrospinal fluid 294
C-fibre 66
Channel(s), ion 8, 44
Chemoreceptor 80
Chloralose anaesthetized dogs 381
Chloride 166
Chloride/hydroxyl-exchange 309
Cholinomimetics 28
Chymotrypsin 205
Ciliary ganglion neurones 44
Citrate 241
CO_2 output, pancreatic 318
Coherence 100
Cold acclimation 171
– environment 183
Colon 257
– in vitro 300
Contractile force 205
Cooling 329
–, brain, scrotum 222
Coronary artery 88
Corticosteroid metabolism 363, 372, 377
Corticosterone 372
– (B) 363
Cotransport 178
Cross bridge 280
– – kinetics 235
Cultured oligodendrocytes 215
Current noise 130
Cutaneous afferents 66
Cyanine dye 178
Cyclic AMP 28, 306, 349

D

Data acquisition 194
Decerebrate cat 140
Deep nephron 356
Dehydration 96, 294
11-Dehydro-corticosterone 372, 377
11-Dehydro-20-dihydro-B 363
11-Dehydro-20β-dihydro-corticosterone 377
Denervated frog skeletal muscle 262
Dexamethasone pretreatment 257
Diabetes insipidus 96
Dibutyryl cyclic AMP 109
Dicarboxylic acids 241
– –, renal transport 250
Diencephalic neurons 418
Dietary phosphate 356
20-Dihydro-B 363
20β-Dihydro-corticosterone 377
Dipyridamole 106
Discharge activity 140
Donnan distribution 166

E

EDL muscle 166
EGTA 215
Electrical field stimulation 51
Electrochemical equilibrium 166
Electrode, construction 203
Electroencephalogram (EEG) 418
Electrogenic transport 178
Electron microprobe 274
Energy enzyme activities 188
– metabolism 188
Enzyme electrode 398
Epithelial water transport 343
Ethanol 113
Excitation-contraction coupling 335, 338
Excitatory junction potential 335
– postsynaptic channels 113
Exercise 286, 432
Exocrine secretion 318, 324
Eye-movement 194

F

Facilitated diffusion 250
Fast inward sodium current 121
Feeding 34
Fibrillatory potentials 262
Frequency domain techniques 100
– response 100
Frog skin 130
Food intake 183

G

D-Galactose 178
Galactose 388
D-Glucose 178
Glucose concentration 398
– electrode 398
– oxidase 398
– transport 109
Glutamate synapse 113
Glycerinated heart muscle 235

H

H_2-agonists 28
5α-H-4,5-dihydro-B 363
5α-H-4,5-dihydro-corticosterone 377
Head rotation 140
Heart muscle 235
– -rate, regulation 286
Heat stress 211
HeLa cells 205
Henle's loop 306
Hindlimb extensors 140
Hippocampal slice 28
Histamine 28
History of Pflügers Archiv 1
HPLC 363
HPLC-analysis 372, 377
6-Hydroxydopamine 88
Hyperpnoea 409
Hyperpolarization 22, 121
Hypertonic stress 130
Hypohydration 211
Hypophysectomized rats 171
Hypophysectomy 171
Hypothalamic area 222
– supraoptic nucleus 80
– thermosensitivity 228
Hypothalamus 418
Hypoxia 106
Hysteresis 329

I

Inhibitory kinetics 250
Inorganic phosphate transport 356
Inotropic responses 205
Insect skeletal muscle 439
Insulin 413
Intestinal brush border 34
Intestine 34
Intracellular adenosine 106
– electrolyte concentrations 274
– ionic activities 166
Intramammary pressure 80
Intravesicular NAD 60
Ion channels 44
– -sensitive microelectrodes 274
– transport 22
Ionic channel 8
– strength 14
Iris sphincter 332
Isolated brush border membrane vesicles 109
– frog ventricle 205
– heart cells 197
– perfused tubule segments 388, 393, 398
– rat kidney 363, 372, 377
– – liver cells 106
Isometric contraction 40
– tension 235
Isoproterenol 338

J

Jejunal brush border 178

K

K-channel 424
K^+ selectivity 215
Kidney 109
–, cortex structure 250
–, dicarboxylic acid transport 241
– metabolism of corticosteroid 363
– proximal tubule 343
–, redox activity 393
– steroid metabolism 377
–, volume fluxes 388

L

Lacrimal acinar cells 51
Lactating rats 80
Lactic acid 286
Larval mealworm 439

Left atrial distension 381
Lidocaine 121
– analogues QX-314 and QX-222 121
Lipolysis 171
Lipophilic metabolites of corticosterone 377
Lithium 241
– chloride 88
Local anesthetics 121
– thermosensitivity 228
Lorentzian, noise component in I_{Na} 130
Low Ca field bursts 28
Lysosomal activity 188

M

$MgATP^2$ 14
Maitotoxin 439
Mammalian cardiac muscles 338
Marine toxin 439
Mass spectrometric analysis 377
Mechanical activities 335
Medullary thick ascending limbs 306
Membrane conductance 51
– currents 8
– damage 197
– depolarization 439
– potential 51, 166
– vesicles 34, 60, 178, 309
Methanol 113
l-Methionine 178
Methylsuccinate 241, 250
Metabolic muscle receptor 286
Metopirone (metyrapone) 363
Michaelis-Menten kinetics 130
Microcomputer 194
Microelectrode 166, 197, 388, 393, 398
Microionophoresis 51
Micro pH electrodes 203
Microprocessor-based system 194
Modulated receptor hypothesis 121
Monoamines 28
Motor endings 8
– unit 100
Muscarinic agonist 424
– antagonists 28
– receptor 424
Muscle 14, 113, 140, 166
– atrophy 188
– cardiac 208
– contraction 280
– denervation 188, 269
– excitation-concentration coupling 22
– fibre(s) 160, 280
– – types 432
– force 160
– hypertrophy 188
– nerves 409
– receptor 286
– spindle 100
– – receptors 140
Myocardium 338
Myocytes, enzymatically isolated 197
Myofibrillar actomyosin ATPase 432
Myosin light chains 432

N

NaCl-dependent cotransport 300
Na current 403
Na dependent transport 241
Na in skeletal muscle 413
Na-K-ATPase 300, 413
Na^+ channel 22
Na^+-channel current 130
Na^+ current 22
Na^+-dependent $^{32}P_i$ uptake 60
Na^+-dependent transport 34
Na^+-independent transport 34
Na^+ permeability 130
Na^+-specific apical channels 130
Na^+ transport 130
NAD 60
Natriuretic factor 300
N-ethylmaleimide (NEM) 403
Neostigmine 51
Nephron brush border membranes 356
Nerve fibres 403
– stimulation 51, 409
Neural regulation 335
Neuroglia 215
Neuromuscular junction(s) 44, 113
Nociceptor 66
Neonatal capsaicin treatment 66
Non-shivering thermogenesis 171
Noradrenaline 28

O

O_2 consumption 324
O_2 extraction 318
Oligodendrocytes 215
Osmolality 96, 294, 343
Osmoreceptords 294
Osmoregulation 130, 294
Osmotic compression 160
– gradient 306
Ouabain 88, 274, 413
– -like activity 300
2-Oxoglutarate 241
Oxotremorine 424

P

pH electrodes 203
3-(p-hydroxyphenyl)propionic acid N-hydroxysuccinimide ester (HPPS) 403
Pancreas 318
Pancreatic blood flow 324
– exocrine secretion 324
– metabolism 318
– O_2 consumption 318

Panting threshold 211
Papillary muscle 208
Parasympathetic ganglia 44
Parathyroid hormone 356
Parvalbumin 432
Patch clamp 44, 215, 424
Pflügers Arch, history of 1
Phentolamine 205
l-Phenylalanine 178
Phosphate 356
– transport 60
– uptake 356
Phospholipid fatty acids 171
Pituitary-dependent hormones 171
Plasma osmolality 381
– vasopressin concentration 381
– volume 211
Platelet activating factor 200
Platinum electrode 393
Polypeptide 205
Post-synaptic actions 113
Post-tetanic potentiation 208, 262
Potassium 166
– channels 215
– concentration 398
– depolarization 349
– ion 88
Potentiation of arterial contraction 200
Preoptic and hypothalamic area 222
Presynaptic currents 8
Probenecid 393
Propranolol 205
Prostaglandin(s) 200
– E_2 and $F_{2\alpha}$ 96
– synthesis 96
Protein diet 34
Proximal convolution of rat kidney 241
– tubule 388, 393
– water transport 343
Pulmonary ventilation 409
Purkinje fibres 121
Pyrazinamide 393

Q

Quisqualate 113

R

Raffinose 388
Ranvier node 403
Rat heart 197
Receptor binding 22
– hypothesis 121
Redox activity 393
Regulation of heart-rate 286
Renal brush border membrane vesicles 60
– corticosteroid metabolism 363, 372, 377
– medulla 306
– papilla 96
– phosphate transport 356
– proximal tubular cells 250
– – tubule 309
–, volume fluxes 388
– water transport 343
Resistance, transepithelial 257
Resting potential 44, 197, 262, 269
Reversibly hyperpermeable cells 338
Rhythmic electrical activity 332

S

Salt gland 151
– water adapted ducks 151
Sarcolemmal Na-K pump 88
Sarcoplasmic reticulum 14, 72, 432
Scopolamine 424
Scorpion neurotoxin 22
Scrotal warming 418
Scrotum 222
SDS-polyacrylamide gel electrophoresis 60
Secretin-induced, exocrine secretion 318
Secretion 318
Serosal hypertonicity 349
Sex dependency of renal steroid metabolism 372
Short-circuit current 130, 300
Signal transmission 100
Single atrial cell 424
– potassium channels 215
Skeletal muscle 14, 100, 262, 413, 439
Skin thermosensitivity 228
Skinned fibre 72
– muscle fibres 160
Slow and fast fibres 40
Small intestine 178, 309
Smooth muscle 332
Spectral analysis 100
Spike train 100
Spinal cord thermosensitivity 228
Spindle afferents 140
Spontaneous postsynaptic currents 113
Sodium 166
– content of diet 300
– inward current 329
– -potassium pump 88
– /proton-exchange 309
– pump 413
– transport 257
– – by the colon 300
Stabilizing action of calcium ion 332
Stereo-specificity 178
Stopped flow capillary perfusion method 250
Suction pipettes 197
Sulfhydryl groups 403
Superfast tension transients 280
Supraoptic nucleus 80
Surface membrane 22
Sympathetic neurones 274

T

Tail artery 335
– vasodilation 222
TEA 215
Temperature 329
– acclimation 171
– regulation 183, 228
– -responsive neuron 418
Tension transient 235, 280
Tetanus and twitch tension 262
Tetraethylammonium (TEA) 439
Tetrodotoxin 51, 262
Thalamus 418
Theophylline 106, 349
Thermogenesis 171
Thermoregulation 211, 222
Thermosensitivity 228
Thirst 294
Threshold 439
– temperatures 418
Tissue compartments 250
– culture 44
– oxygenation 324
Tityus γ toxin 22
Toad bladder 349
Transepithelial conductance 130
– resistance 257
Transport models 250
Tubular permeability 343
– volume changes 343
Tubule perfusion apparatus 203
– segments 393
Twitch and tetanus tension 262

U

Ultrasound exposure 208
Urethral striated muscle 40
Uric acid 393
Urine concentration 96, 306
– osmolality 381
Usedependent block 121

V

Vanadate 413
Vascular smooth muscle 335
Vasopressin 80, 294, 324, 349
– (AVP) 381
– stimulated cyclic AMP 306
Vasoregulation 106
Ventricle 205
Vesicles 109
–, rend brush border 60
Vestibular input 140
Voltage clamp 257
– -clamped node of Ranvier 403
– -dependent Ca^{2+} channels 439
Volume changes 343
– fluxes 388
– reabsorption 388
– regulation 381
– sensitivity of AVT release 151

W

Warm environment 183
– -sensitive neuron 222
Water adapted ducks 151
– intake 183, 294
– osmotic permeability 343
– transport 349